


- **Record and search by individual telephone extensions**, two-way radio channels and/or microphones.
- **Web based browser interface** eliminates the expense of client software and added user license fees. Unlimited user access via your network with remote access if you decide to put the system on an external IP address.
- **Multi-tiered access levels** allow the Administrator to assign different levels of access and functionality to groups or individual users.
- **Available with Analog or Digital capture cards.** Analog 16 to 64 channels standard. Digital 8 to 96 channels standard. Up to 128 channels on special order.
- **Analog/Digital Combinations.** Wide range analog/digital channel options – ask your Dealer to match to your particular requirements.
- **Options of Recording.** Loop start, voice activation (“VOX”) or continuous recording by individual channel selection at setup.
- **Approximately 100,000 hours Hard Drive Archiving.** Factory setting for 365 days. We recommend optional backup procedures for longer term or permanent archiving.
- **User friendly interface and search features** allow for quick and easy retrieval of specific telephone calls from the thousands and thousands of calls you might have archived on the hard drive over a long period of time.
- **Recording in a DSF format** which is preferable for legal purposes. Recordings can be easily and quickly converted to **.WMA** or **.WAV** and saved to a DVD, Pin Drive or Floppy - or simply e-mailed using your preferred e-mail client.
- **Optional backup to USB hard drive and/or NAS** provides the ability to backup approximately 300 hours for each gigabyte of storage available – for example a 500 gigabyte NAS allows approximately 150,000 hours of backup capacity.
- **Live monitoring** allows for employee training and/or performance evaluation.
- **Statistics feature** allows for viewing of data for analysis and “exception reporting” in graph or exportable Excel format.
- **Assignable Privacy on Demand feature** allows Administrator to assign specific individuals the right to select calls they do not want recorded.
- **Remote Monitoring Feature** allows option for e-mail notification as an alert in the event of a system problem.



AB Selcom





Our Search Screen



Case Configuration.....Black Tower
 Recording..... Individual Channel Choice of Loop Start, VOX or Continuous
 Case Dimensions.....17"x19"x 7.5" (HxLxW)
 Weight.....27 lbs.
 Standard Analog Channel Choices....16, 32, 48 & 64
 Selection of Digital Channels.....8, 16, 24, 32, 40, 48, 56, 64, 72, 80, 88 or 96.
 Standard Hard Drive.....320 gigabyte
 Compression.....Hardware

Estimated HDD Archiving.....100,000 plus hours
 Continuous backup Options.....USB Hard Drive/ Network
 Backup Computations..... Approximately 300 hours backup for each Gigabyte available
 Saving Options.....DVD, Pin Drive or Floppy
 Processor.....Intel Celeron
 Motherboard.....Pentium D800
 Operating System.....Windows XP Professional
 Compatibility.....MS SQL compatible database
 Data Retrieval.....Local or Remote by Web Browser



AB Selcom





Selection of Analog Channels Designation.....16, 32, 48, or 64
Selection of Digital Channels.....8, 16, 24, 32, 40, 48, 56, 64, 72, 80, 88
or 96.
Case Configuration.....Industrial 4U Rack Mount/Black
Recording..... Individual Channel Choice of Loop
Start, VOX or Continuous
Case Dimensions7"x21"x19" (HxLxW)
Weight.....48 lbs.
Special Order Channels.....Up to 128 on request

Standard Hard Drives..... Dual 320 gigabyte Hot Swappable Raid 1 (mirroring)
Compression.....Hardware
Estimated HDD Archiving.....100,000 plus hours
Continuous Backup Options.....USB Hard Drive/ Network
Backup Computations Approximately 300 hours for each Gigabyte available
Saving Options.....DVD, Pin Drive or Floppy
Processor.....Intel Celeron
Motherboard.....Pentium D800
Operating System.....Windows XP Professional
Compatibility.....MS SQL compatible database
Data Retrieval.....Local or Remote by Web Browser



AB Selcom

